



CRIUS LIFE SCIENCES PVT. LTD (BADDI)

REGD. OFFICE :- KHASRA NO.:1298/1190/474 & 1187/474, LOWER MALPUR, BADDI - 173205

HIMACHAL PRADESH, INDIA

E-mail:- dispatch@criuslife.com , Web :- www.criuslife.com

CIN:U24232HP2016PTC001137

QUALITY CONTROL DEPARTMENT FOOD SAFETY AND STANDARDS RULE, 2011

Page 1 of 2

CERTIFICATE OF ANALYSIS

Product Name : V BALANCE

Generic Name : ALGAL DHA WITH VITAMINS & MINERALS SOFTGEL CAPSULE IHS

Product Code : FUF001086

Batch No. : TQF036001

A.R. No. : CFP2600418

Batch Size : 1,00,000.000 Capsule

Qty. of Sample : 120.000 Capsule

Mfg. Dt. : MAR-2026

Exp. Dt. : AUG-2027

Received Dt. : 06/04/2026

Parent Product Code : SUF000693

Release Dt. : 06/04/2026

Parent Batch No. : F7886001

Ref. MOA : CLS/ST/FP/D/V/1350-00

Parent Batch Size : 1,00,000.000 Capsule

Specification No. : CLS/SP/FP/D/V/1350-00

Storage Condition : Store at a temperature not exceeding 25°C in a dry place, protect from light

Sr.	Test	Result	Specification
1	Description	Chocolate brown colour oval shaped softgel capsule, containing brown colour medicament.	Chocolate brown colour oval shaped softgel capsule, containing brown colour medicament.
2	Identification test	Complies as per assay	Should be complies as per assay
3	Average fill weight	762.71 mg	810.0 mg $\pm$ 7.5% (749.25 mg to 870.75 mg)
4	Uniformity of weight	+ 0.93% to - 0.49%	$\pm$ 7.5 % of average fill weight
5	Disintegration Time	26 Minute 33 sec.	Not more than 30 minutes
6	Assay for Algal DHA Oil (Providing DHA Oil 250 mg) 208.25 mg	218.66 mg 105.0%	NLT 90% of Label Claim.
7	Assay for Vitamin B2 (Riboflavin) 0.3 mg	0.3324 mg 110.80%	NLT 90% of Label Claim.
8	Assay for Niacin (Nicotinamide) 2.4 mg	2.6294 mg 109.56%	NLT 90% of Label Claim.
9	Assay for Vitamin B12 (Cyanocobalamin) 0.375 mcg	0.7500 mcg 200.0%	NLT 90% of Label Claim.
10	Assay for Vitamin C (L-Ascorbic Acid) 12 mg	14.4018 mg 120.02%	NLT 90% of Label Claim.
11	Assay for Vitamin D3 (Cholecalciferol-Lichen) 2.25 mcg	3.5481 mcg 157.70%	NLT 90% of Label Claim.
12	Assay for Vitamin K2 (Menoquinone MK-7) 12 mcg	18.0 mcg 150.0%	NLT 90% of Label Claim.
13	Assay for Calcium (From Calcium Carbonate) 150 mg	149.2210 mg 99.48%	NLT 90% of Label Claim.

In the opinion of undersigned the sample referred to above is standard quality / not of standard quality, as per IHS specification.

Prepared By

Checked By

Reviewed By

Approved By

FgAnlCert07_CHI06

